

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the Application.

#### Listing of Claims

1. (Currently Amended) A composition comprising:

- a) a first polymer or polymer mixture with a glass transition temperature ("Tg") from ~~30~~75° C to ~~250~~130° C;
- b) a second polymer or polymer mixture with a Tg from ~~minus~~ 20° C to 35°C; and
- c) one or more cosmetically acceptable solvents;

~~wherein the difference in the Tg's of the first polymer or polymer mixture and the second polymer or polymer mixture is 10° C or more; and~~

wherein when the first polymer or polymer mixture and the second polymer or polymer mixture are dissolved together in a cosmetically acceptable solvent, which may be the same as or different than the solvent in c), and then dried to form a film, the film has a tensile storage modulus at 20° C of from  $1 \times 10^{10}$  Pascal to  $1 \times 10^8$  Pascal and a storage modulus at 70° C of from  $1 \times 10^9$  Pascal to  $1 \times 10^6$  Pascal; and

wherein the first polymer and the second polymer are independently selected from block, graft, and branched homopolymers and copolymers derived from one or more monomers selected from methacrylic acid; acrylic acid; methacrylate esters, acrylate esters, styrene, substituted styrenes, vinyl esters of organic acids, N-vinyl compounds, acrylamide; methacrylamide; substituted acrylamides, amine-functional acrylamides, substituted methacrylamides; hydroxylalkyl methacrylates, hydroxylalkyl acrylates, dienes, vinyl ethers, acid containing monomers, functional monomers, and water-soluble salts thereof

~~wherein the first and second polymers are in a blend prepared using a multistage polymerization process and wherein the first and second polymers are independently selected from block, graft, and branched homopolymers and copolymers derived from ethylenically unsaturated monomers and mixtures thereof.~~

2. (Canceled)

3. (Canceled).

4. (Canceled).
5. (Canceled)
6. (Canceled)
7. A hair styling composition comprising:
  - a) ~~a composition of claim 1; a first polymer or polymer mixture with a glass transition temperature ("Tg") from 30° C to 250° C;~~
  - b) ~~a second polymer or polymer mixture with a Tg from minus 20° C to 35° C; and~~
  - be) one or more cosmetically acceptable solvents; and
  - cd) one or more cosmetically acceptable ingredients selected from perfumes, dyestuffs, preservatives, sequestering agents, thickeners, silicones, softeners, foam synergistic agents, foam stabilizers, sun filters, peptizing agents, conditioning agents, shine agents, proteins, herbals, botanicals, neutralizers, plasticizers, and anionic, non-ionic, cationic, or amphoteric surfactants, and mixtures thereof;

~~wherein the difference in the Tg's of the first polymer or polymer mixture and the second polymer or polymer mixture is 10 ° C or more; and~~

~~wherein when the first polymer or polymer mixture and the second polymer or polymer mixture are dissolved together in a cosmetically acceptable solvent, which may be the same as or different than the solvent in e), and then dried to form a film, the film has a tensile storage modulus at 20° C of from  $1 \times 10^{10}$  Pascal to  $1 \times 10^8$  Pascal and a storage modulus at 70° C of from  $1 \times 10^6$  Pascal to  $1 \times 10^6$  Pascal; and~~

~~wherein the first and second polymers are in a blend prepared using a multistage polymerization process and wherein the first and second polymers are independently selected from block, graft, and branched homopolymers and copolymers derived from ethylenically unsaturated monomers and mixtures thereof.~~
8. (Withdrawn) A method for styling hair comprising the steps of:
  - a) applying to the hair an effective styling amount of a composition comprising:
    - i) a first polymer or polymer mixture with a glass transition temperature ("Tg") from 3075° C to 250130° C;
    - ii) a second polymer or polymer mixture with a Tg from minus 20° C to 35° C; and
    - iii) one or more cosmetically acceptable solvents;

~~wherein the difference in the Tg's of the first polymer or polymer mixture and the second polymer or polymer mixture is 10° C or more; and~~

wherein when the first polymer or polymer mixture and the second polymer or polymer mixture are dissolved together in a cosmetically acceptable solvent, which may be the same as or different than the solvent in c), and then dried to form a film, the film has a tensile storage modulus at 20° C of from  $1 \times 10^{10}$  Pascal to  $1 \times 10^8$  Pascal and a storage modulus at 70° C of from  $1 \times 10^9$  Pascal to  $1 \times 10^6$  Pascal; and

wherein the first polymer and the second polymer are independently selected from block, graft, and branched homopolymers and copolymers derived from one or more monomers selected from methacrylic acid; acrylic acid; methacrylate esters, acrylate esters, styrene, substituted styrenes, vinyl esters of organic acids, N-vinyl compounds, acrylamide; methacrylamide; substituted acrylamides, amine-functional acrylamides, substituted methacrylamides; hydroxylalkyl methacrylates, hydroxylalkyl acrylates, dienes, vinyl ethers, acid containing monomers, functional monomers, and water-soluble salts thereof

~~wherein the first and second polymers are in a blend prepared using a multistage polymerization process and wherein the first and second polymers are independently selected from block, graft, and branched homopolymers and copolymers derived from ethylenically unsaturated monomers and mixtures thereof; and~~

b) fixing the hair in a desired configuration.

9. (Withdrawn) A method for styling hair comprising the steps of:

a) fixing the hair in a desired configuration; and

b) applying to the hair an effective styling amount of a composition comprising:

i) a first polymer or polymer mixture with a glass transition temperature ("Tg") from ~~30~~75° C to ~~250~~130° C;

ii) a second polymer or polymer mixture with a Tg from ~~minus~~ 20° C to 35°C; and

iii) one or more cosmetically acceptable solvents;

~~wherein the difference in the Tg's of the first polymer or polymer mixture and the second polymer or polymer mixture is 10° C or more; and~~

wherein when the first polymer or polymer mixture and the second polymer or polymer mixture are dissolved together in a cosmetically acceptable solvent, which may be the same as or different than the solvent in c), and then dried to form a film, the film has a tensile storage modulus at 20° C of from  $1 \times 10^{10}$  Pascal to  $1 \times 10^8$  Pascal and a storage modulus at 70° C of from  $1 \times 10^9$  Pascal to  $1 \times 10^6$  Pascal; and

wherein the first polymer and the second polymer are independently selected from block, graft, and branched homopolymers and copolymers derived from one or more monomers selected from methacrylic acid; acrylic acid; methacrylate esters, acrylate esters, styrene, substituted styrenes, vinyl esters of organic acids, N-vinyl compounds, acrylamide; methacrylamide; substituted acrylamides, amine-functional acrylamides, substituted methacrylamides; hydroxylalkyl methacrylates, hydroxylalkyl acrylates, dienes, vinyl ethers, acid containing monomers, functional monomers, and water-soluble salts thereof

~~wherein the first and second polymers are in a blend prepared using a multistage polymerization process and wherein the first and second polymers are independently selected from block, graft, and branched homopolymers and copolymers derived from ethylenically unsaturated monomers and mixtures thereof.~~